

Computer programming

## Iteration. Side effects

Marius Minea

marius@cs.upt.ro

17 October 2017

# Assignment operators

We've used the simple assignment: *lvalue = expression*

*lvalue* = what can be on the *left* of an assignment

so far: variable; see later: array element; pointer dereference

*Compound assignment operators*: += -= \*= /= %=

`x += expr` is a shorthand for `x = x + expr` etc.

later: also for bitwise assignment operators >> << & ^ |

use them: shorter and makes intent of transformation clearer

*Increment/decrement operators* prefix/postfix: ++ --

`++i` increments `i`, expression value is value *after* assignment

`i++` increments `i`, expression value is value *before* assignment

both have same *side effect* (assignment) but different *value*

```
int x=2, y, z; y = x++; /* y=2,x=3 */; z = ++x; // x=4,z=4
```

⇒ same effect as *statements*, not same value in *expressions*

## Side effects and sequence points

In a complex expression, when do side effects actually take place?

Most operators have *unspecified evaluation order* of operands (e.g., arithmetic)  $\Rightarrow$  only *partial order* of computations is imposed. But: *All side effects must complete before crossing a sequence point.*

Examples of sequence points (standard, Annex C)

- for function calls, between evaluating the function designator (function expression) + arguments, and the actual call
- for `, && ||` between evaluating first and second operand
- in `? :` between evaluating the first operand and the second/third

*If a side effect on a scalar object is unsequenced relative to either a different side effect on the same scalar object or a value computation using the value of the same scalar object, the behavior is undefined. If there are multiple allowable orderings of the subexpressions of an expression, the behavior is undefined if such an unsequenced side effect occurs in any of the orderings.* C standard, 6.5 Expressions

Thus, `i = i++` or `a[i] = i++` are *undefined!*

## Caution with multiple side effects!

Even when order of side effects is well defined, use with caution!

*DON'T* write: `return i++;`

assignment to `i` is useless, since the function returns

obscures intent: should it be `return i;` or `return i+1;` ?

*DON'T*: `c = toupper(c); return c;` DO: `return toupper(c);`

*DON'T* read multiple characters in an expression:

```
if (getchar() == '*' && ((c = getchar()) == '/'))
```

if first comparison fails, second char is not read

(`c` has previous / uninitialized value)

⇒ hard to reason about program behavior

## The `for` statement

```
for ( init-clause ; test-expr ; update-expr ) init-clause;  
    statement                                while (test-expr) {  
                                                statement  
                                                update-expr;  
                                                }
```

is equivalent\* with:

\* except: `continue` statement, see later

Any of the 3 parts in (...) may be missing, but semicolons stay  
If *test-expr* is absent, it is considered *true* (infinite loop)

Before C99: *init* part could only be an *expression*, e.g. `i = 0`

Since C99: *init-clause* can also be a *declaration*, e.g. `int i = 0`  
scope of declared identifiers is loop body only

⇒ *USE* loop scope for counters, if they are not needed later  
(scope of identifiers should only be as much as needed)

**WARNING!** The semicolon `;` is the *empty statement*

DO NOT use after closing `)` of `for` unless you want empty body!

## Counting with `for` loops

```
#include <stdio.h>
int main(void)
{
    unsigned n = 5;
    while (n--) // from n-1 to 0: n-- != 0, postdecrement
        printf("loop 1: n = %d\n", n);
    n = 5;      // reinitialize after countdown to 0
    for (int i = 0; i < n; ++i) // from 0 to n-1
        printf("loop 2: counter %d\n", i);
    for (int i = 1; i <= n; ++i) // from 1 to n
        printf("loop 3: counter %d\n", i);
    for (int i = n; i > 0; --i) // from n to 1
        printf("loop 4: counter %d\n", i);
    for (int i = n; i--;)      // from n-1 to 0, postdecr.
        printf("loop 5: counter %d\n", i);
    return 0;
}
```

## Counting with `for` loops

If direction does not matter, this is shortest:

```
for (int i = n; i--;) )
```

also easier to compare to zero

Warning: test expression is computed *every* time

⇒ *avoid needless computation*, e.g.

```
for (int i = 0; i < strlen(s); ++i)
```

(compiler may optimize some, but not always)

If needed, precompute upper bound:

```
for (int i = 0, len = strlen(s); i < len; ++i)
```

## The `break` statement

Exits the *immediately enclosing* loop or `switch` statement

Used if we don't want to continue the remaining processing

Usually: `if ( condition ) break;`

```
#include <ctype.h>
#include <stdio.h>
int main(void)          // count words in input
{
    // word: sequence of non-whitespace chars
    unsigned nrw = 0;
    for (int c;; ++nrw) { // exit w/ break; count each iter
        while (isspace(c = getchar())); // consume whitespace
        if (c == EOF) break;          // done
        while (!isspace(c = getchar()) && c != EOF); // word
    } // word counted in loop update part
    printf("%u\n", nrw);
    return 0;
}
```



## Example: rewrite, starting every word with uppercase

*word* = sequence of non-whitespace chars (common term usage)  
\t \n \v \f \r and space, as checked by isspace()

```
#include <ctype.h>
#include <stdio.h>
int main(void) {
    for (int c; (c = getchar()) != EOF; )
        if (isspace(c)) putchar(c);
        else { // first non-space
            putchar(toupper(c)); // print uppercase if letter
            while ((c = getchar()) != EOF) { // still word?
                putchar(c); // print even if space
                if (isspace(c)) break; // exit inner loop
            }
        }
    return 0;
}
```

## The `continue` statement

jumps to the *end of the loop body* in a `while`, `do` or `for` loop  
i.e., to *update expression* in `for` and to *test* in `do` or `while`

```
void printfact(unsigned n) { // print prime factors of n
    for (unsigned d = 2; d*d <= n; d += 1 + d % 2) {
        if (n % d != 0) continue; // not divisible; next d
        unsigned exp = 1;
        while ((n /= d) % d == 0) ++exp;
        printf ("%u", d); // write current factor
        if (exp > 1) printf ("~%u", exp); // write exponent
        if (n > 1) putchar('*'); else return;
    }
    printf ("%u", n); // 0, 1 or remaining prime
}
```

Use `continue` sparingly (much less common than `break`)  
can make code clearer, if decision to skip is early, and loop is long  
otherwise, a simple `if` may be easier to read and understand.

## The `goto` statement

Syntax: `goto statementlabel ;`

Jumps to statement with given label, only inside same function.

Any statement can be prefixed with a *label* followed by `:`

Discouraged (unstructured code); ok to jump out of several loops.

```
#include <ctype.h>
#include <stdio.h>
int main(void)          // count chars, words, lines
{
    unsigned nc = 0, nw = 0, nl = 0;
    for (int c; (c = getchar()) != EOF; ++nc) {
        if (!isspace(c)) // word start
            for (++nc, ++nw; !isspace(c = getchar()); ++nc)
                if (c == EOF) goto outloop; // exit both loops
        if (c == '\n') ++nl; // c isspace here; ++nc in for
    }
    outloop: printf("%u lines, %u words, %u chars\n", nl, nw, nc);
    return 0;
}
```

## The `switch` statement: example

Used for multiple branches depending on an *integer value* can be clearer/more efficient than a multiple `if ... else`

```
#include <stdio.h>
int main(void)
{
    int a = 3, b = 4, c, r;
    switch (c = getchar()) {
        case '+': r = a + b; break; // end switch
        case '-': r = a - b; break;
        case 'x': c = '*'; // no effect on flow, continue
        case '*': r = a * b; break;
        case '/': r = a / b; break;
        default: fputs("Unknown operator\n", stderr);
                return 1; // main finished with error
    }
    printf("Result: %d %c %d = %d\n", a, c, b, r);
    return 0;
}
```

## The `switch` statement

Syntax: `switch ( integer-expression ) statement`  
`statement` is a *block* with multiple statements, some *labeled*:  
`case value: statement`

The integer expression is evaluated.

If the statement has a `case` label with that value, jump to it

Otherwise, if there is a `default`, label, jump to it

Else, do nothing (goes on to next statement after `switch`)

A statement may have *several* labels (flow jumps to same code)

`case val1: case val2: statement`

**WARNING!** Normal statement sequencing applies:

control flow does *not stop* at the next `case` label (it's just a label)

⇒ *DON'T forget*: to exit `switch` statement, use `break`;

## switch vs. if ... else

A multiple `if ... else` statement will do *multiple* tests (until one succeeds)

A `switch` statement may be implemented using a *jump table*: the expression is evaluated and used as index in a table of addresses  
⇒ can be more efficient if range of possible values is limited (also: compiler may limit range of values to 1023, cf. standard)

More importantly: a `switch` may be *easier to read*

But: *be careful* not to forget `break` where needed!

# Writing and testing loops

*Think* about:

what variables *change* in each iteration ?

what is the loop continuation/stopping *condition* ?

Don't forget *update* of variable that controls loop!

(otherwise will loop forever)

On *loop exit*, the loop condition is *false*.

use this to reason about what happens next

*Inspect/check/test* the program:

mentally, running it “pencil and paper” on simple cases

then with more complex tests, including corner cases

## Example: Parsing expressions

Expression *syntax*: rigorously defined by a *grammar*

frequent notation: Backus-Naur form (BNF)

Writing code: one function for each defined notion (*nonterminal*)

*Prefix expressions* (no parentheses/precedence needed)

$expr ::= number \mid operator\ expr\ expr$

*Postfix expressions*

$expr ::= number \mid expr\ expr\ operator$

Left recursive, can't decide branch (start is always number)

⇒ rewrite grammar:

$expr ::= number\ restexpr$

$restexpr ::= \epsilon \mid expr\ operator\ restexpr$

$\epsilon$  is usual notation for empty string



## Parsing usual (infix) expressions

Simplest attempt: ambiguous, no associativity or precedence

$expr ::= number \mid expr \operatorname{operator} expr \mid ( expr )$

$\Rightarrow$  separate additive/multiplicative expressions/operators

$expr ::= term \mid expr + term \mid expr - term$

$term ::= factor \mid term * factor \mid term / factor$

$factor ::= number \mid ( expr )$

$expr$  and  $term$  still left-recursive  $\Rightarrow$  rewrite:

$expr ::= term \operatorname{restexpr}$

$\operatorname{restexpr} ::= \epsilon \mid + term \operatorname{restexpr} \mid - term \operatorname{restexpr}$

$term ::= factor \operatorname{restterm}$

$\operatorname{restterm} ::= \epsilon \mid * factor \operatorname{restterm} \mid / factor \operatorname{restterm}$

$factor ::= number \mid ( expr )$

## Writing code from recursive definitions

One *function* for each *nonterminal*

Function structure determined by computation (*data flow*)

$expr ::= term \ restexpr$

$restexpr$  needs previous term  $\Rightarrow$  gets it as parameter

```
int expr(void) { return restexpr(term()); }
```

$restexpr ::= \epsilon \mid + \ term \ restexpr \mid - \ term \ restexpr$

$restexpr$  is right-recursive write as *tail-recursive* function

```
int restexpr(int t1) {  
    int c = getchar();  
    if (c == '+') return restexpr(t1 + term()); else ...  
}
```

or rewrite as loop within  $expr()$ , *accumulate* expression value

```
int expr(void) {  
    int c, e = term();  
    for (;;) { // use break; to stop  
        if ((c = getchar()) == '+') e += term(); else ...  
    } // try to write the complete program!
```